STATE OF CALIFORNIA

STATE BOARD OF EQUALIZATION PROPERTY AND SPECIAL TAXES DEPARTMENT 450 N STREET, SACRAMENTO, CALIFORNIA PO BOX 942879, SACRAMENTO, CALIFORNIA 94279-0064 1-916-274-3350 • FAX 1-916-285-0134 www.boe.ca.gov



BETTY T. YEE First District, San Francisco

SEN. GEORGE RUNNER (RET.) Second District, Lancaster

MICHELLE STEEL Third District, Orange County

JEROME E. HORTON Fourth District, Los Angeles

> JOHN CHIANG State Controller

CYNTHIA BRIDGES Executive Director No. 2014/057

November 24, 2014

## TO COUNTY ASSESSORS:

## PLACER COUNTY ASSESSMENT PRACTICES SURVEY

A copy of the <u>Placer County Assessment Practices Survey</u> Report is enclosed for your information. The Board of Equalization (BOE) completed this survey in fulfillment of the provisions of sections 15640-15646 of the Government Code. These code sections provide that the BOE shall make surveys in each county and city and county to determine that the practices and procedures used by the county assessor in the valuation of properties are in conformity with all provisions of law.

The Honorable Kristen Spears, Placer County Assessor, was provided a draft of this report and given an opportunity to file a written response to the findings and recommendations contained therein. The report, including the assessor's response, constitutes the final survey report, which is distributed to the Governor, the Attorney General, and the State Legislature; and to the Placer County Board of Supervisors, Grand Jury, and Assessment Appeals Board.

Fieldwork for this survey was performed by the BOE's County-Assessed Properties Division from November 2012 through January 2013. The report does not reflect changes implemented by the assessor after the fieldwork was completed.

Ms. Spears and her staff gave their complete cooperation during the survey. We gratefully acknowledge their patience and courtesy during the interruption of their normal work routine.

Sincerely,

/s/ Dean R. Kinnee

Dean R. Kinnee Acting Deputy Director Property Tax Department

DRK:dcl Enclosure