

MicroTest[®] Laboratories, Inc.
AIHA EMPAT #160934
Environmental Biological Testing
8080 Madison Ave., Suite 100B
Fair Oaks, CA 95628
Tel: (916) 567-9808
Fax: (916) 567-9818
E-mail: microtestlabsinc@yahoo.com

October 4, 2007

State of California- Building and Property Management
707 3rd Street
West Sacramento, CA 95606

Re: 450 N Street
Sacramento, CA

Dear Sirs,

Please find following the results of the sampling obtained at 450 N Street on 10/03/07. The areas sampled were chosen, by you, for Zefon "Viable/Non-Viable" air sampling analyses and selected surfaces for direct microscopic examination. No *Stachybotrys chartarum* was observed. The concentration and distribution of the recovered populations fall within the expected normal range in the areas analyzed, when compared to the outside samples.

For your convenience, the following is an interpretative guideline provided for your use.

Interpretive Guidelines:

Normal Spore Levels: Indoor spore levels usually average 30% to 80% of the outdoor spore levels at the time of sampling, with the approximate same distribution of spore types. Filtered air, air-conditioned air or air that is not in the proximity of outdoor sources may drop to 5% to 15% of the outdoor spore levels at the time of sampling. As these are general guidelines, a major factor is the accessibility of outdoor air. A residence with heavy foot traffic, open door and windows, etc., may average 95% of the outdoor levels. An office building with limited air exchange may average as low as 2% of the outdoor levels. Dusty interiors may exceed 100% of the outdoor spore levels but will mirror the outdoor distribution of spore types.

Problem Interiors: A substantial increase of one or two spore types, which are inconsistent and not reflective of the outside, spore distribution. This is usually indicative of mold growth.

**Suggested Guidelines for Mold Spore and Skin Cell Fragment Concentrations
Residential Buildings (Counts/Cubic Meter) m³**

| Suggested Guideline | Total | <i>Penicillium/Aspergillus</i> | Ascospores/ Basidiospores | <i>Cladosporium</i> | Zygomycetes | Skin Cell Fragments |
|--|-----------|--------------------------------|------------------------------|---------------------|-------------|------------------------|
| "Average" Clean Residence | <1,800 | <600 | <200 | <100 | <100 | <9,000 |
| "Clean" Residence (Maximum) | <3,000 | <1,400 | *<900 | *<800 | <600 | <16,000 |
| Indoor Contamination Present | ***>8,000 | >4,000 | *>1,500 | *>600 | >700 | >20,000 |
| Indoor Amplification May Be Occurring | *>12,000 | >8,000 | *>1,500 | *>1350 | >1,000 | **>30,000 |

Reference: *Airborne Mold Spore Concentrations in Commercial & Residential Buildings*, Daniel M. Baxter, Environmental Testing Associates, San Diego, CA., 1995.

* May depend on outside spore concentration for each species

** Based on mean plus standard deviation of contaminated residences indicating inadequate housekeeping

*** Based on median of contaminated residences

Summary of Mold Spore Species Distribution

| Building Type | <i>Penicillium/Aspergillus</i> | Ascospores/ Basidiospores | <i>Cladosporium</i> | Zygomycetes | Skin Cell Fragments |
|--|--------------------------------|------------------------------|---------------------|-------------|------------------------|
| "Clean" Commercial Buildings | 37% | 24% | 11% | 5% | 23% |
| "Contaminated" Commercial Buildings | 66% | 6% | 4% | 10% | 14% |
| "Clean" Residential Buildings | 39% | 18% | 21% | <1% | 22% |
| "Contaminated" Residential Buildings | 20% | 76% | 1% | 1% | 2% |
| "Contaminated Buildings Sampled During Drywall Demolition | 92% | <1% | <1% | 5% | 3% |

Reference: *Airborne Mold Spore Concentrations in Commercial & Residential Buildings*, Daniel M. Baxter, Environmental Testing Associates, San Diego, CA., 1995.

Thank you for allowing *MicroTest™* Laboratories, Inc. to provide the microbiological services you required.

Sincerely,

Rebecca Hutto
President
MicroTest™ Laboratories, Inc.

RH/amc

MicroTest™ Laboratories, Inc.

AIHA EMPAT # 160934

8080 Madison Ave., Suite 100B

Fair Oaks, CA 95628

Ph- (916) 567-9808 Fax- (916) 567-9818

www.microtestlabinc.com microtestlabsinc@yahoo.com

| | | | |
|--------------|---|------------------|---|
| Client Name: | State Of California-Building and Property Management 707 3rd Street, Suite 5000 West Sacramento, CA 95605 | Contact Name: | Lance Lister Sampler: Kent T. Garner Sample Date: 10/3/07 Receipt Date: 10/4/07 Report Date: 10/4/07 Accession No: 727701-727721 |
| Project: | 450 N Street Sacramento, CA | Instrument Used: | Zefon |

Non-Viable Bioaerosol Analysis

| Client Project Identification | 12251130 Parking Structure 4th Floor | | | 13270904 Parking Structure 4th Floor | | | 1225118 Rm. 2408 (West) | | | 13270892 Rm. 2408 (East) | | |
|--|--------------------------------------|--------------------|--------|--------------------------------------|--------------------|--------|-------------------------|--------------------|--------|--------------------------|--------------------|--------|
| | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area |
| Alternaria | 1 | 13 | 0.3% | 1 | 13 | 1% | | | | | | |
| Arthrinium | | | | | | | | | | | | |
| Ascospores | 33 | 440 | 11% | 10 | 133 | 9% | 2 | 27 | 17% | 2 | 27 | 13% |
| Aureobasidium | | | | | | | | | | | | |
| Basidiospores | 3 | 40 | 1% | 6 | 80 | 5% | | | | 1 | 13 | 6% |
| Botrytis | | | | | | | | | | | | |
| Chaetomium | | | | | | | | | | | | |
| Cladosporium | 204 | 2719 | 68% | 76 | 1013 | 66% | 2 | 27 | 17% | | | |
| Curvularia | 4 | 53 | 1% | | | | | | | | | |
| Drechslera/Bipolaris Group | | | | | | | | | | | | |
| Epicoccum | | | | | | | | | | | | |
| Hyphae Fragments | | | | 1 | 13 | 1% | | | | | | |
| Penicillium/Aspergillus* | 51 | 680 | 17% | 19 | 253 | 17% | 8 | 107 | 67% | 13 | 173 | 81% |
| Pollen | 6 | 80 | 2% | 1 | 13 | 1% | | | | | | |
| Rusts | | | | | | | | | | | | |
| Pithomyces | | | | | | | | | | | | |
| Smuts/Peric/Myxomycetes | | | | | | | | | | | | |
| Stachybotrys | | | | | | | | | | | | |
| Stemphylium | | | | | | | | | | | | |
| Torula | | | | 1 | 13 | 1% | | | | | | |
| Ulocladium | | | | | | | | | | | | |
| Total Spores (Cts/m³): | 302 | 4,026 | | 115 | 1,533 | | 12 | 160 | | 16 | 213 | |
| Sample Volume (Liters) | 75 | | | 75 | | | 75 | | | 75 | | |
| Sample Time Minutes: | 5 | | | 5 | | | 5 | | | 5 | | |
| Background Debris** | Moderate | | | Moderate | | | Few | | | Moderate | | |

*The spores of *Penicillium/Aspergillus* cannot be differentiated by non-viable sampling methods.

**Fibers, skin fragments and dust are indicated by few, moderate, many, and abundant.

Comments:

Technologist: Rebecca Hutty, *MicroTest Labs™, Inc.*

MicroTest™ Laboratories, Inc.

AIHA EMPAT # 160934

8080 Madison Ave., Suite 100B

Fair Oaks, CA 95628

Ph- (916) 567-9808 Fax- (916) 567-9818

www.microtestlabinc.com microtestlabsinc@yahoo.com

| | | | |
|--------------|---|------------------|---|
| Client Name: | State Of California-Building and Property Management 707 3rd Street, Suite 5000 West Sacramento, CA 95605 | Contact Name: | Lance Lister Sampler: Kent T. Garner Sample Date: 10/3/07 Receipt Date: 10/4/07 Report Date: 10/4/07 Accession No: 727701-727721 |
| Project: | 450 N Street Sacramento, CA | Instrument Used: | Zefon |

Non-Viable Bioaerosol Analysis

| Client Project Identification | 12251130 Parking Structure 4th Floor | | | 13270904 Parking Structure 4th Floor | | | 12251213 Rm. 2418 Pre | | | 12251008 Rm. 2103 | | |
|--|--------------------------------------|--------------------|--------|--------------------------------------|--------------------|--------|-----------------------|--------------------|--------|-------------------|--------------------|--------|
| | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area |
| Alternaria | 1 | 13 | 0.3% | 1 | 13 | 1% | | | | | | |
| Arthrinium | | | | | | | | | | | | |
| Ascospores | 33 | 440 | 11% | 10 | 133 | 9% | 6 | 80 | 7% | 7 | 93 | 18% |
| Aureobasidium | | | | | | | | | | | | |
| Basidiospores | 3 | 40 | 1% | 6 | 80 | 5% | 3 | 40 | 3% | 3 | 40 | 8% |
| Botrytis | | | | | | | | | | | | |
| Chaetomium | | | | | | | | | | | | |
| Cladosporium | 204 | 2719 | 68% | 76 | 1013 | 66% | 32 | 427 | 35% | 10 | 133 | 26% |
| Curvularia | 4 | 53 | 1% | | | | | | | | | |
| Drechslera/Bipolaris Group | | | | | | | | | | | | |
| Epicoccum | | | | | | | | | | | | |
| Hyphae Fragments | | | | 1 | 13 | 1% | | | | | | |
| Penicillium/Aspergillus* | 51 | 680 | 17% | 19 | 253 | 17% | 51 | 680 | 55% | 17 | 227 | 45% |
| Pollen | 6 | 80 | 2% | 1 | 13 | 1% | | | | | | |
| Rusts | | | | | | | | | | 1 | 13 | 3% |
| Pithomyces | | | | | | | | | | | | |
| Smuts/Peric/Myxomycetes | | | | | | | | | | | | |
| Stachybotrys | | | | | | | | | | | | |
| Stemphylium | | | | | | | | | | | | |
| Torula | | | | 1 | 13 | 1% | | | | | | |
| Ulocladium | | | | | | | | | | | | |
| Total Spores (Cts/m³): | 302 | 4,026 | | 115 | 1,533 | | 92 | 1,226 | | 38 | 507 | |
| Sample Volume (Liters) | 75 | | | 75 | | | 75 | | | 75 | | |
| Sample Time Minutes: | 5 | | | 5 | | | 5 | | | 5 | | |
| Background Debris** | Moderate | | | Moderate | | | Moderate | | | Moderate | | |

*The spores of *Penicillium/Aspergillus* cannot be differentiated by non-viable sampling methods.

**Fibers, skin fragments and dust are indicated by few, moderate, many, and abundant.

Comments:

Technologist: Rebecca Huty, *MicroTest Labs™, Inc.*

MicroTest™ Laboratories, Inc.

AIHA EMPAT # 160934

8080 Madison Ave., Suite 100B

Fair Oaks, CA 95628

Ph- (916) 567-9808 Fax- (916) 567-9818

www.microtestlabinc.com microtestlabsinc@yahoo.com

| | | | |
|--------------|---|------------------|----------------|
| Client Name: | State Of California-Building and Property Management 707 3rd Street, Suite 5000 West Sacramento, CA 95605 | Contact Name: | Lance Lister |
| Project: | 450 N Street Sacramento, CA | Sampler: | Kent T. Garner |
| | | Sample Date: | 10/3/07 |
| | | Receipt Date: | 10/4/07 |
| | | Report Date: | 10/4/07 |
| | | Accession No: | 727701-727721 |
| | | Instrument Used: | Zefon |

Non-Viable Bioaerosol Analysis

| Client Project Identification | 12251130 Parking Structure 4th Floor | | | 13270904 Parking Structure 4th Floor | | | 12251155 Hall Outside Rm. 2117 | | | 12251120 Rm. 2113 | | |
|--|--------------------------------------|--------------------|--------|--------------------------------------|--------------------|--------|--------------------------------|--------------------|--------|-------------------|--------------------|--------|
| | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area |
| Alternaria | 1 | 13 | 0.3% | 1 | 13 | 1% | | | | | | |
| Arthrinium | | | | | | | | | | | | |
| Ascospores | 33 | 440 | 11% | 10 | 133 | 9% | 1 | 13 | 7% | 3 | 40 | 11% |
| Aureobasidium | | | | | | | | | | | | |
| Basidiospores | 3 | 40 | 1% | 6 | 80 | 5% | | | | 1 | 13 | 4% |
| Botrytis | | | | | | | | | | | | |
| Chaetomium | | | | | | | | | | | | |
| Cladosporium | 204 | 2719 | 68% | 76 | 1013 | 66% | 4 | 53 | 27% | 7 | 93 | 26% |
| Curvularia | 4 | 53 | 1% | | | | | | | | | |
| Drechslera/Bipolaris Group | | | | | | | | | | | | |
| Epicoccum | | | | | | | | | | | | |
| Hyphae Fragments | | | | 1 | 13 | 1% | | | | | | |
| Penicillium/Aspergillus* | 51 | 680 | 17% | 19 | 253 | 17% | 10 | 133 | 67% | 13 | 173 | 48% |
| Pollen | 6 | 80 | 2% | 1 | 13 | 1% | | | | 1 | 13 | 4% |
| Rusts | | | | | | | | | | | | |
| Pithomyces | | | | | | | | | | | | |
| Smuts/Peric/Myxomycetes | | | | | | | | | | | | |
| Stachybotrys | | | | | | | | | | | | |
| Stemphylium | | | | | | | | | | | | |
| Torula | | | | 1 | 13 | 1% | | | | 1 | 13 | 4% |
| Ulocladium | | | | | | | | | | 1 | 13 | 4% |
| Total Spores (Cts/m³): | 302 | 4,026 | | 115 | 1,533 | | 15 | 200 | | 27 | 360 | |
| Sample Volume (Liters) | 75 | | | 75 | | | 75 | | | 75 | | |
| Sample Time Minutes: | 5 | | | 5 | | | 5 | | | 5 | | |
| Background Debris** | Moderate | | | Moderate | | | Moderate | | | Many | | |

*The spores of *Penicillium/Aspergillus* cannot be differentiated by non-viable sampling methods.

**Fibers, skin fragments and dust are indicated by few, moderate, many, and abundant.

Comments:

Technologist: Rebecca Huty, *MicroTest Labs™, Inc.*

MicroTest™ Laboratories, Inc.

AIHA EMPAT # 160934

8080 Madison Ave., Suite 100B

Fair Oaks, CA 95628

Ph- (916) 567-9808 Fax- (916) 567-9818

www.microtestlabinc.com microtestlabsinc@yahoo.com

| | | | |
|--------------|---|------------------|----------------|
| Client Name: | State Of California-Building and Property Management 707 3rd Street, Suite 5000 West Sacramento, CA 95605 | Contact Name: | Lance Lister |
| Project: | 450 N Street Sacramento, CA | Sampler: | Kent T. Garner |
| | | Sample Date: | 10/3/07 |
| | | Receipt Date: | 10/4/07 |
| | | Report Date: | 10/4/07 |
| | | Accession No: | 727701-727721 |
| | | Instrument Used: | Zefon |

Non-Viable Bioaerosol Analysis

| Client Project Identification | 12251130 Parking Structure 4th Floor | | | 13270904 Parking Structure 4th Floor | | | 12251174 21st Floor Elevator Lobby | | | 12251171 Hall Outside Rm. 2102 | | |
|--|--------------------------------------|--------------------|--------|--------------------------------------|--------------------|--------|------------------------------------|--------------------|--------|--------------------------------|--------------------|--------|
| | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area |
| Alternaria | 1 | 13 | 0.3% | 1 | 13 | 1% | | | | | | |
| Arthrinium | | | | | | | | | | | | |
| Ascospores | 33 | 440 | 11% | 10 | 133 | 9% | 8 | 107 | 23% | 7 | 93 | 15% |
| Aureobasidium | | | | | | | | | | | | |
| Basidiospores | 3 | 40 | 1% | 6 | 80 | 5% | | | | 1 | 13 | 2% |
| Botrytis | | | | | | | | | | | | |
| Chaetomium | | | | | | | | | | | | |
| Cladosporium | 204 | 2719 | 68% | 76 | 1013 | 66% | 9 | 120 | 26% | 16 | 213 | 34% |
| Curvularia | 4 | 53 | 1% | | | | | | | | | |
| Drechslera/Bipolaris Group | | | | | | | | | | | | |
| Epicoccum | | | | | | | | | | | | |
| Hyphae Fragments | | | | 1 | 13 | 1% | | | | | | |
| Penicillium/Aspergillus* | 51 | 680 | 17% | 19 | 253 | 17% | 17 | 227 | 49% | 22 | 293 | 47% |
| Pollen | 6 | 80 | 2% | 1 | 13 | 1% | 1 | 13 | 3% | 1 | 13 | 2% |
| Rusts | | | | | | | | | | | | |
| Pithomyces | | | | | | | | | | | | |
| Smuts/Peric/Myxomycetes | | | | | | | | | | | | |
| Stachybotrys | | | | | | | | | | | | |
| Stemphylium | | | | | | | | | | | | |
| Torula | | | | 1 | 13 | 1% | | | | | | |
| Ulocladium | | | | | | | | | | | | |
| Total Spores (Cts/m³): | 302 | 4,026 | | 115 | 1,533 | | 35 | 467 | | 47 | 627 | |
| Sample Volume (Liters) | 75 | | | 75 | | | 75 | | | 75 | | |
| Sample Time Minutes: | 5 | | | 5 | | | 5 | | | 5 | | |
| Background Debris** | Moderate | | | Moderate | | | Moderate | | | Moderate | | |

*The spores of *Penicillium/Aspergillus* cannot be differentiated by non-viable sampling methods.

**Fibers, skin fragments and dust are indicated by few, moderate, many, and abundant.

Comments:

Technologist: Rebecca Huty, *MicroTest Labs™, Inc.*

MicroTest™ Laboratories, Inc.

AIHA EMPAT # 160934

8080 Madison Ave., Suite 100B

Fair Oaks, CA 95628

Ph- (916) 567-9808 Fax- (916) 567-9818

www.microtestlabinc.com microtestlabsinc@yahoo.com

| | | | |
|--------------|---|------------------|----------------|
| Client Name: | State Of California-Building and Property Management 707 3rd Street, Suite 5000 West Sacramento, CA 95605 | Contact Name: | Lance Lister |
| Project: | 450 N Street Sacramento, CA | Sampler: | Kent T. Garner |
| | | Sample Date: | 10/3/07 |
| | | Receipt Date: | 10/4/07 |
| | | Report Date: | 10/4/07 |
| | | Accession No: | 727701-727721 |
| | | Instrument Used: | Zefon |

Non-Viable Bioaerosol Analysis

| Client Project Identification | 12251130 Parking Structure 4th Floor | | | 13270904 Parking Structure 4th Floor | | | 13266878 Rm. 2108 | | | 13266868 Rm. 2447 | | |
|--|--------------------------------------|--------------------|--------|--------------------------------------|--------------------|--------|-------------------|--------------------|--------|-------------------|--------------------|--------|
| | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area |
| Alternaria | 1 | 13 | 0.3% | 1 | 13 | 1% | | | | | | |
| Arthrinium | | | | | | | | | | | | |
| Ascospores | 33 | 440 | 11% | 10 | 133 | 9% | 1 | 13 | 7% | 6 | 80 | 21% |
| Aureobasidium | | | | | | | | | | | | |
| Basidiospores | 3 | 40 | 1% | 6 | 80 | 5% | 1 | 13 | 7% | 1 | 13 | 4% |
| Botrytis | | | | | | | | | | | | |
| Chaetomium | | | | | | | | | | | | |
| Cladosporium | 204 | 2719 | 68% | 76 | 1013 | 66% | 5 | 67 | 36% | 5 | 67 | 18% |
| Curvularia | 4 | 53 | 1% | | | | | | | | | |
| Drechslera/Bipolaris Group | | | | | | | | | | | | |
| Epicoccum | | | | | | | | | | | | |
| Hyphae Fragments | | | | 1 | 13 | 1% | 1 | 13 | 7% | | | |
| Penicillium/Aspergillus* | 51 | 680 | 17% | 19 | 253 | 17% | 6 | 80 | 43% | 16 | 213 | 57% |
| Pollen | 6 | 80 | 2% | 1 | 13 | 1% | | | | | | |
| Rusts | | | | | | | | | | | | |
| Pithomyces | | | | | | | | | | | | |
| Smuts/Peric/Myxomycetes | | | | | | | | | | | | |
| Stachybotrys | | | | | | | | | | | | |
| Stemphylium | | | | | | | | | | | | |
| Torula | | | | 1 | 13 | 1% | | | | | | |
| Ulocladium | | | | | | | | | | | | |
| Total Spores (Cts/m³): | 302 | 4,026 | | 115 | 1,533 | | 14 | 187 | | 28 | 373 | |
| Sample Volume (Liters) | 75 | | | 75 | | | 75 | | | 75 | | |
| Sample Time Minutes: | 5 | | | 5 | | | 5 | | | 5 | | |
| Background Debris** | Moderate | | | Moderate | | | Few | | | Moderate | | |

*The spores of *Penicillium/Aspergillus* cannot be differentiated by non-viable sampling methods.

**Fibers, skin fragments and dust are indicated by few, moderate, many, and abundant.

Comments:

Technologist: Rebecca Huty, *MicroTest Labs™, Inc.*

MicroTest™ Laboratories, Inc.

AIHA EMPAT # 160934

8080 Madison Ave., Suite 100B

Fair Oaks, CA 95628

Ph- (916) 567-9808 Fax- (916) 567-9818

www.microtestlabinc.com microtestlabsinc@yahoo.com

| | | | |
|--------------|---|------------------|---|
| Client Name: | State Of California-Building and Property Management 707 3rd Street, Suite 5000 West Sacramento, CA 95605 | Contact Name: | Lance Lister Sampler: Kent T. Garner Sample Date: 10/3/07 Receipt Date: 10/4/07 Report Date: 10/4/07 Accession No: 727701-727721 |
| Project: | 450 N Street Sacramento, CA | Instrument Used: | Zefon |

Non-Viable Bioaerosol Analysis

| Client Project Identification | 12251130 Parking Structure 4th Floor | | | 13270904 Parking Structure 4th Floor | | | 13266899 Hall Outside Rm. 2402 | | | 13266891 Rm. 2428 | | |
|--|--------------------------------------|--------------------|--------|--------------------------------------|--------------------|--------|--------------------------------|--------------------|--------|-------------------|--------------------|--------|
| | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area |
| Alternaria | 1 | 13 | 0.3% | 1 | 13 | 1% | | | | | | |
| Arthrinium | | | | | | | | | | | | |
| Ascospores | 33 | 440 | 11% | 10 | 133 | 9% | 5 | 67 | 13% | 2 | 27 | 6% |
| Aureobasidium | | | | | | | | | | | | |
| Basidiospores | 3 | 40 | 1% | 6 | 80 | 5% | 2 | 27 | 5% | 2 | 27 | 6% |
| Botrytis | | | | | | | | | | | | |
| Chaetomium | | | | | | | 1 | 13 | 3% | | | |
| Cladosporium | 204 | 2719 | 68% | 76 | 1013 | 66% | 6 | 80 | 15% | 2 | 27 | 6% |
| Curvularia | 4 | 53 | 1% | | | | | | | | | |
| Drechslera/Bipolaris Group | | | | | | | | | | | | |
| Epicoccum | | | | | | | | | | | | |
| Hyphae Fragments | | | | 1 | 13 | 1% | | | | | | |
| Penicillium/Aspergillus* | 51 | 680 | 17% | 19 | 253 | 17% | 24 | 320 | 60% | 29 | 387 | 83% |
| Pollen | 6 | 80 | 2% | 1 | 13 | 1% | | | | | | |
| Rusts | | | | | | | 2 | 27 | 5% | | | |
| Pithomyces | | | | | | | | | | | | |
| Smuts/Peric/Myxomycetes | | | | | | | | | | | | |
| Stachybotrys | | | | | | | | | | | | |
| Stemphylium | | | | | | | | | | | | |
| Torula | | | | 1 | 13 | 1% | | | | | | |
| Ulocladium | | | | | | | | | | | | |
| Total Spores (Cts/m³): | 302 | 4,026 | | 115 | 1,533 | | 40 | 533 | | 35 | 467 | |
| Sample Volume (Liters) | 75 | | | 75 | | | 75 | | | 75 | | |
| Sample Time Minutes: | 5 | | | 5 | | | 5 | | | 5 | | |
| Background Debris** | Moderate | | | Moderate | | | Many | | | Many | | |

*The spores of *Penicillium/Aspergillus* cannot be differentiated by non-viable sampling methods.

**Fibers, skin fragments and dust are indicated by few, moderate, many, and abundant.

Comments:

Technologist: Rebecca Huty, MicroTest Labs™, Inc.

MicroTest™ Laboratories, Inc.

AIHA EMPAT # 160934

8080 Madison Ave., Suite 100B

Fair Oaks, CA 95628

Ph- (916) 567-9808 Fax- (916) 567-9818

www.microtestlabinc.com microtestlabsinc@yahoo.com

| | | | |
|--------------|---|------------------|----------------|
| Client Name: | State Of California-Building and Property Management 707 3rd Street, Suite 5000 West Sacramento, CA 95605 | Contact Name: | Lance Lister |
| Project: | 450 N Street Sacramento, CA | Sampler: | Kent T. Garner |
| | | Sample Date: | 10/3/07 |
| | | Receipt Date: | 10/4/07 |
| | | Report Date: | 10/4/07 |
| | | Accession No: | 727701-727721 |
| | | Instrument Used: | Zefon |

Non-Viable Bioaerosol Analysis

| Client Project Identification | 12251130 Parking Structure 4th Floor | | | 13270904 Parking Structure 4th Floor | | | 13270891 Hall Outside Rm. 2438 | | | 13266843 Rm. 2423 | | |
|--|--------------------------------------|--------------------|--------|--------------------------------------|--------------------|--------|--------------------------------|--------------------|--------|-------------------|--------------------|--------|
| | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area |
| Alternaria | 1 | 13 | 0.3% | 1 | 13 | 1% | | | | | | |
| Arthrinium | | | | | | | | | | | | |
| Ascospores | 33 | 440 | 11% | 10 | 133 | 9% | 3 | 40 | 12% | | | |
| Aureobasidium | | | | | | | | | | | | |
| Basidiospores | 3 | 40 | 1% | 6 | 80 | 5% | 1 | 13 | 4% | 1 | 13 | 33% |
| Botrytis | | | | | | | | | | | | |
| Chaetomium | | | | | | | | | | | | |
| Cladosporium | 204 | 2719 | 68% | 76 | 1013 | 66% | 6 | 80 | 23% | | | |
| Curvularia | 4 | 53 | 1% | | | | | | | | | |
| Drechslera/Bipolaris Group | | | | | | | | | | | | |
| Epicoccum | | | | | | | | | | | | |
| Hyphae Fragments | | | | 1 | 13 | 1% | | | | | | |
| Penicillium/Aspergillus* | 51 | 680 | 17% | 19 | 253 | 17% | 16 | 213 | 62% | 2 | 27 | 67% |
| Pollen | 6 | 80 | 2% | 1 | 13 | 1% | | | | | | |
| Rusts | | | | | | | | | | | | |
| Pithomyces | | | | | | | | | | | | |
| Smuts/Peric/Myxomycetes | | | | | | | | | | | | |
| Stachybotrys | | | | | | | | | | | | |
| Stemphylium | | | | | | | | | | | | |
| Torula | | | | 1 | 13 | 1% | | | | | | |
| Ulocladium | | | | | | | | | | | | |
| Total Spores (Cts/m³): | 302 | 4,026 | | 115 | 1,533 | | 26 | 347 | | 3 | 40 | |
| Sample Volume (Liters) | 75 | | | 75 | | | 75 | | | 75 | | |
| Sample Time Minutes: | 5 | | | 5 | | | 5 | | | 5 | | |
| Background Debris** | Moderate | | | Moderate | | | Moderate | | | Few | | |

*The spores of *Penicillium/Aspergillus* cannot be differentiated by non-viable sampling methods.

**Fibers, skin fragments and dust are indicated by few, moderate, many, and abundant.

Comments:

Technologist: Rebecca Huty, *MicroTest Labs™, Inc.*

MicroTest™ Laboratories, Inc.

AIHA EMPAT # 160934

8080 Madison Ave., Suite 100B

Fair Oaks, CA 95628

Ph- (916) 567-9808 Fax- (916) 567-9818

www.microtestlabinc.com microtestlabsinc@yahoo.com

| | | | |
|--------------|---|------------------|---|
| Client Name: | State Of California-Building and Property Management 707 3rd Street, Suite 5000 West Sacramento, CA 95605 | Contact Name: | Lance Lister Sampler: Kent T. Garner Sample Date: 10/3/07 Receipt Date: 10/4/07 Report Date: 10/4/07 Accession No: 727701-727721 |
| Project: | 450 N Street Sacramento, CA | Instrument Used: | Zefon |

Non-Viable Bioaerosol Analysis

| Client Project Identification | 12251130 Parking Structure 4th Floor | | | 13270904 Parking Structure 4th Floor | | | 13270900 24th Floor Cubicle 024 | | | 13270896 Rm. 2418 Post | | |
|--|--------------------------------------|--------------------|--------|--------------------------------------|--------------------|--------|---------------------------------|--------------------|--------|------------------------|--------------------|--------|
| | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area | raw ct. | Cts/m ³ | % Area |
| Alternaria | 1 | 13 | 0.3% | 1 | 13 | 1% | | | | | | |
| Arthrinium | | | | | | | | | | | | |
| Ascospores | 33 | 440 | 11% | 10 | 133 | 9% | 2 | 27 | 13% | 2 | 27 | 25% |
| Aureobasidium | | | | | | | | | | | | |
| Basidiospores | 3 | 40 | 1% | 6 | 80 | 5% | | | | 1 | 13 | 13% |
| Botrytis | | | | | | | | | | | | |
| Chaetomium | | | | | | | | | | | | |
| Cladosporium | 204 | 2719 | 68% | 76 | 1013 | 66% | | | | | | |
| Curvularia | 4 | 53 | 1% | | | | | | | | | |
| Drechslera/Bipolaris Group | | | | | | | | | | | | |
| Epicoccum | | | | | | | | | | | | |
| Hyphae Fragments | | | | 1 | 13 | 1% | | | | | | |
| Penicillium/Aspergillus* | 51 | 680 | 17% | 19 | 253 | 17% | 14 | 187 | 88% | 5 | 67 | 63% |
| Pollen | 6 | 80 | 2% | 1 | 13 | 1% | | | | | | |
| Rusts | | | | | | | | | | | | |
| Pithomyces | | | | | | | | | | | | |
| Smuts/Peric/Myxomycetes | | | | | | | | | | | | |
| Stachybotrys | | | | | | | | | | | | |
| Stemphylium | | | | | | | | | | | | |
| Torula | | | | 1 | 13 | 1% | | | | | | |
| Ulocladium | | | | | | | | | | | | |
| Total Spores (Cts/m³): | 302 | 4,026 | | 115 | 1,533 | | 16 | 213 | | 8 | 107 | |
| Sample Volume (Liters) | 75 | | | 75 | | | 75 | | | 75 | | |
| Sample Time Minutes: | 5 | | | 5 | | | 5 | | | 5 | | |
| Background Debris** | Moderate | | | Moderate | | | Few | | | Few | | |

*The spores of *Penicillium/Aspergillus* cannot be differentiated by non-viable sampling methods.

**Fibers, skin fragments and dust are indicated by few, moderate, many, and abundant.

Comments:

Technologist: Rebecca Huty, *MicroTest Labs™, Inc.*

MicroTest® Laboratories Inc.
AIHA EMPAT #160934
8080 Madison Ave., Suite 100B
Fair Oaks, CA 95628
Tel. (916) 567-9808
Fax: (916) 567-9818
E-mail: microtestlabsinc@yahoo.com

CLIENT: State of California, BPM
707 3rd Street
West Sacramento, CA 95605

PROJECT: 450 N Street
Sacramento, CA

SAMPLE COLLECTED BY: Kent T. Garner

TYPE OF SAMPLE: Tape (x3)

COLLECTION DATE: 10/03/07

SUBMISSION DATE: 10/04/07

ACCESSION NO: 727701-727721

TYPE OF ANALYSIS: Direct Preparation, Microscopic Examination

REPORT DATE: 10/04/07

REPORTED & REVIEWED BY: Rebecca Huty

DIRECT MICROSCOPIC EXAMINATION

The "Tape Lift Samples" collected demonstrated the following:

| Sample ID | Amorphous Debris/Description | Pollen/Miscellaneous | Molds Observed: Mycelia or Sporulating Structures | Comments | General Impression |
|---|--|----------------------|---|----------|--------------------|
| B265262 2418 Desk | 1+ Amorphous Debris Rare Particulate Debris Rare Skin Fragments Rare Fibers | | No Mold Spores Observed | | Normal Lift |
| B260657 2418 Bookshelf | Rare Amorphous Debris 1+ Particulate Debris Rare Skin Fragments Rare Fibers | | Rare <i>Penicillium/Aspergillus sp.</i> | | Normal Lift |
| 071003-001 2418 File Cabinet | 2+ Amorphous Debris 1+ Particulate Debris | | Rare <i>Penicillium/Aspergillus sp.</i> | | Normal Lift |

Note: Quantities of molds seen are graded from Rare to 4+, with 4+ denoting the highest numbers observed on microscopic examination. "Rare" indicates presence, but in very low numbers.

MicroTest® Laboratories, Inc. does not associate these analyses with any event or significance other than that the organisms were present in the submitted samples. The interpretation of this report should not rule out the presence or absence of other organisms.