

STATE BOARD OF EQUALIZATION

PROPERTY TAX DEPARTMENT
450 N STREET, SACRAMENTO, CALIFORNIA
PO BOX 942879, SACRAMENTO, CALIFORNIA 94279-0064
1-916-274-3350 ● FAX 1-916-285-0134
www.boe.ca.gov

SEN. GEORGE RUNNER (RET.)
First District, Lancaster

FIONA MA, CPA Second District, San Francisco

JEROME E. HORTON Third District, Los Angeles County

DIANE L. HARKEY Fourth District, Orange County

BETTY T. YEE State Controller

CYNTHIA BRIDGES
Executive Director

No. 2016/005

January 19, 2016

TO COUNTY ASSESSORS:

YOLO COUNTY ASSESSMENT PRACTICES SURVEY

A copy of the <u>Yolo County Assessment Practices Survey</u> Report is enclosed for your information. The Board of Equalization (BOE) completed this survey in fulfillment of the provisions of sections 15640-15646 of the Government Code. These code sections provide that the BOE shall make surveys in each county and city and county to determine that the practices and procedures used by the county assessor in the valuation of properties are in conformity with all provisions of law.

The Honorable Freddie Oakley, Yolo County Assessor/Clerk/Recorder, was provided a draft of this report and given an opportunity to file a written response to the findings and recommendations contained therein. The report, including the assessor's response, constitutes the final survey report, which is distributed to the Governor, the Attorney General, and the State Legislature; and to the Yolo County Board of Supervisors, Grand Jury, and Assessment Appeals Board.

Fieldwork for this survey was performed by the BOE's County-Assessed Properties Division from January through February 2014. The report does not reflect changes implemented by the assessor after the fieldwork was completed.

The former Yolo County Assessor, Mr. Joel Butler, and his staff gave their complete cooperation during the survey fieldwork. We gratefully acknowledge their patience and courtesy during the interruption of their normal work routine.

Sincerely,

/s/ Dean R. Kinnee

Dean R. Kinnee
Deputy Director
Property Tax Department

DRK:dcl Enclosure