



STATE BOARD OF EQUALIZATION  
PROPERTY TAX DEPARTMENT  
450 N STREET, SACRAMENTO, CALIFORNIA  
PO BOX 942879, SACRAMENTO, CALIFORNIA 94279-0064  
1-916-274-3350 • FAX 1-916-285-0134  
[www.boe.ca.gov](http://www.boe.ca.gov)

TED GAINES  
First District, Sacramento

MALIA M. COHEN  
Second District, San Francisco

ANTONIO VAZQUEZ, CHAIRMAN  
Third District, Santa Monica

MIKE SCHAEFER, VICE CHAIR  
Fourth District, San Diego

BETTY T. YEE  
State Controller

BRENDA FLEMING  
Executive Director

July 10, 2020

No. 2020/031

TO COUNTY ASSESSORS:

**SAN MATEO COUNTY  
ASSESSMENT PRACTICES SURVEY**

A copy of the [San Mateo County Assessment Practices Survey](#) Report is enclosed for your information. The Board of Equalization (BOE) completed this survey in fulfillment of the provisions of sections 15640-15646 of the Government Code. These code sections provide that the BOE shall make surveys in specified counties to determine that the practices and procedures used by the County Assessor in the valuation of properties are in conformity with all provisions of law.

The Honorable Mark Church, San Mateo County Assessor/Recorder/Clerk, was provided a draft of this report and given an opportunity to file a written response to the findings and recommendations contained therein. The report, including the Assessor's response, constitutes the final survey report, which is distributed to the Governor, the Attorney General, and the State Legislature; and to the San Mateo County Board of Supervisors, Grand Jury, and Assessment Appeals Board.

Fieldwork for this survey was performed by the BOE's County-Assessed Properties Division from March through April 2019. The report does not reflect changes implemented by the Assessor after the fieldwork was completed.

Mr. Church and his staff gave their complete cooperation during the survey. We gratefully acknowledge their patience and courtesy during the interruption of their normal work routine.

Sincerely,

/s/ David Yeung

David Yeung  
Deputy Director  
Property Tax Department

DY:dcl  
Enclosure